

Group-based Emotions in Teams of Humans and Robots

Filipa Correia
INESC-ID & Instituto Superior
Técnico, Universidade de Lisboa
Porto Salvo, Portugal

Samuel Mascarenhas
INESC-ID & Instituto Superior
Técnico, Universidade de Lisboa
Porto Salvo, Portugal

Rui Prada
INESC-ID & Instituto Superior
Técnico, Universidade de Lisboa
Porto Salvo, Portugal

Francisco S. Melo
INESC-ID & Instituto Superior
Técnico, Universidade de Lisboa
Porto Salvo, Portugal

Ana Paiva
INESC-ID & Instituto Superior
Técnico, Universidade de Lisboa
Porto Salvo, Portugal

ABSTRACT

Providing social robots an internal model of emotions can help them guide their behaviour in a more humane manner by simulating the ability to feel empathy towards others. Furthermore, the growing interest in creating robots that are capable of collaborating with other humans in team settings provides an opportunity to explore another side of human emotion, namely, group-based emotions. This paper contributes with the first model on group-based emotions in social robotic partners. We defined a model of group-based emotions for social robots that allowed us to create two distinct robotic characters that express either individual or group-based emotions. This paper also contributes with a user study where two autonomous robots embedded the previous characters, and formed two human-robot teams to play a competitive game. Our results showed that participants perceived the robot that expresses group-based emotions as more likeable and attributed higher levels of group identification and group trust towards their teams, when compared to the robotic partner that expresses individual-based emotions.

KEYWORDS

Human-robot teamwork, emotion, inter-group interactions, group effects, identification, self-categorisation, trust

ACM Reference format:

Filipa Correia, Samuel Mascarenhas, Rui Prada, Francisco S. Melo, and Ana Paiva. 2018. Group-based Emotions in Teams of Humans and Robots. In *Proceedings of 2018 ACM/IEEE International Conference on Human-Robot Interaction, Chicago, IL, USA, March 5–8, 2018 (HRI '18)*, 9 pages. <https://doi.org/10.1145/3171221.3171252>

1 INTRODUCTION

The field of social robotics is advancing at a remarkable pace and it is likely that in a near future there will be very few people that

never interacted with a robot in their lifetime. The existing progress has enabled the successful use of robots not just in manufacturing [8] but also to provide social support [37], therapeutic aid [7], educational tutoring [45] and new forms of entertainment [6]. One key advantage of social robots lies in the fact that their physical embodiment is capable of evoking a strong sense of social presence [34]. Consequently, we are predisposed to treat robots as if they are social entities and not just mere artefacts or tools. However, for this predisposition to be maintained, it is crucial that robots are able to interpret and respond appropriately to the social cues of an interaction.

One aspect of human communication that creators of social robots are well aware of its importance is the ability to recognise and express emotions [5]. Without this ability, it becomes quite difficult for a person to build any sort of rapport with a social robot. Moreover, having an internal model of emotions can help the robot guide its behaviour in a more humane manner by simulating the ability to feel empathy towards others [33]. Given that most of the research in HRI so far has focused on interactions between individuals and a single robot, the interpersonal role of emotions has received the most attention. However, there is currently a growing interest in creating robots that are capable of collaborating with other humans in a team setting [15, 16, 24, 25, 32, 46]. This type of scenario provides an opportunity to explore another side of human emotion, namely, group-based emotions.

Group-based emotions result from the perceived relevance of an event related to a social group, due to the individual's attribution of membership to that social group. As far as we know, these type of emotions have not yet been explored in HRI. Therefore, we provide a first investigation on group-based emotions in social robotic partners. The motivation for addressing this topic is twofold. First, there is a close relation between group-based emotions and group identification, which constitutes the cohesion of a social group during intergroup interactions. Kessler and Hollbach showed that in-group identification can indeed be influenced by the experience of group-based emotion [28]. Second, there are also findings supporting the importance of trust and social identification for a more positive team performance [1].

To investigate the role of group-based emotions in human-robot teams, we started by defining a model of group-based emotions for social robots. Such model allowed us to create two distinct robotic characters that express either individual or group-based emotions. This paper also contributes with a user study where two

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

HRI '18, March 5–8, 2018, Chicago, IL, USA

© 2018 Copyright held by the owner/author(s). Publication rights licensed to Association for Computing Machinery.

ACM ISBN 978-1-4503-4953-6/18/03...\$15.00

<https://doi.org/10.1145/3171221.3171252>

fully autonomous robots embedded the previous characters, and formed two human-robot teams to play a competitive game. Our results showed that participants perceived the robot that expresses group-based emotions as more likeable and attributed higher levels of group identification and group trust towards their teams, when compared to the robotic partner that expresses individual-based emotions. These findings are insightful considerations for the design of social robotic partners that we can trust and identify with in collaborative settings.

2 BACKGROUND

Group-based emotions are believed to be a result of self-categorisation and appraisal theories of emotions [44]. When the social identity of the perceiver leads him to think of himself as a *group member* rather than just an individual, events affecting his in-group may elicit such type of group emotions. Naturally, these emotional reactions occur during intergroup interaction and, according to Smith [44], the salience of social identity is elicited by 3 factors: (1) the presence of out-group members, (2) the perception of similarities with the in-group members, and (3) the competition between groups. A quite common example of a group-based emotion is the feeling of pride or shame for our favourite sports team.

Recently, Goldenberg et al. have proposed a process model of group-based emotions [17] that extends the “modal model” of Gross & Thompson [19]. The extension of a general model of emotion to account for group-based emotions is supported by the notion that these emotions, although different in their appraisals, have the same basic structure as regular emotions.

In this model, the process of generating group-based emotions, starts with an attention allocation to a given situation or stimuli. Then, the relevance of the situation being attended is conditioned by the group identity that the individual associates himself at the moment and how strong is that association. Finally, the process ends with an emotional response that may range from the expression of emotions to organised actions.

During intergroup interactions, there is a close relation between group-based emotions and group identification. Group identification was known as being an antecedent of group-based emotions until Kessler and Hollbach [28] have presented how group-based emotions can influence group identification and, therefore, how they can have bidirectional causality. Their results point to the fact that in-group identification may increase or decrease according to the type of emotions and the target being the in-group or the out-group. In particular, happiness towards the in-group and anger towards the out-group increase in-group identification, the same way happiness towards the out-group and anger towards the in-group decrease in-group identification. The authors also reveal a positive correlation between the intensity of emotions increasing identification and the final identification level, which may lead to a positive feedback loop that explains the development of a collective action frame.

3 RELATED WORK

The importance of emotions, in general, for social robots is widely acknowledged in the community [14]. Given that they play such a crucial role in human communication, there has been substantial

work in developing robots that are able to both interpret human emotion and are able to express emotional cues as well [5, 29]. When performed successfully, these capabilities have a positive impact on creating interactions that are more enjoyable [2] and more educational [42]. Recently, Jung et al. have looked at how the emotional behaviour of a robot can have a positive impact on improving teamwork by employing emotion regulation strategies to diffuse conflict situations [25]. However, they only looked at a particular type of strategy in which the robot comments on inappropriate remarks made by a confederate. Differently, our work provides insight on how a robot that expresses pride and shame on behalf of its team can also benefit teamwork.

Successfully adding robots to human teams is a complex multifaceted problem that is gaining significant interest by the community, particularly as researchers are shifting their attention towards scenarios where people interact and share their physical space with more than just a single robot [16]. As pointed out by Groom and Nass [18], for a robot to be a teammate it must have some sort of individual autonomy and not simply obey commands. As such, not only there are communication and coordination challenges that must be addressed but it is also necessary that humans are able to establish a trust relationship with the robots in their team. Without trust, the more likely outcome is that robots will be perceived as merely tools.

Previous studies have shown that the amount of trust placed upon a robot is dependent on multiple factors such as how reliable it is at performing the task it is designed for [11], and how well humans understand its decision-making process [48]. The work described here is the first study that explores how the portrayal of group-based emotions can be an additional factor in establishing human-robot trust.

Additionally, the attribution of blame is also being explored regarding its effects on the user. For instance, a virtual passenger blaming itself, the user, or the environment in a driving scenario affects differently the attentiveness and the responsibility felt [23]. Similarly, the blame attribution by a robot after a reliability drop lowers the user trust [26]. Although the expression of individual- and group-based emotions may include negative blaming feelings such as reproach or shame, they also involve positive credit attributions such as admiration or pride, respectively.

Researchers have found that manipulating the perceived group identity of a robot can have a significant impact on the interaction and on how the robot is perceived. Kuchenbrandt et al. found that using a minimal group paradigm is enough to obtain significant differences [30]. More precisely, their study showed that participants who were simply assigned to a team with a NAO robot attributed higher levels of anthropomorphism and acceptance towards the NAO than participants who were assigned to another team. Interestingly, these effects occurred even though participants performed the experimental task alone without the robot's presence.

The effects of social categorisation were also explored in an experiment conducted by Häring et al. where participants played a collaborative card game with two other NAO robots [21]. One of the robots had the same national identity as the participants and the other robot had a different national identity. Results showed that participants perceived the national in-group robot more positively and with a higher degree of anthropomorphism. Subjects were also

more willing to collaborate to a greater extent with the in-group robot.

Our work provides further insight into the importance of social categorisation for human-robot interaction by investigating how group-based emotions affect the in-group dynamic found in human-robot teams. More precisely, rather than manipulating the team or category that the robot and the participants are assigned to, we analysed the impact of having an in-group robot that expresses group-based emotions compared to an in-group robot that does not.

4 A MODEL OF GROUP-BASED EMOTIONS FOR SOCIAL ROBOTIC CHARACTERS

Social robotic characters can generate group-based emotions in similar contexts as humans if they are equipped with mechanisms that properly approximate the human psychological process that leads to these emotions. Our model (see Figure 1) is aimed in this direction with its mechanisms being grounded on the recent psychological model of group-based emotions, proposed by Goldenberg et al. [17].




Figure 1: Diagram of the group-based emotions model.

The first component of the model is the *Self-Categorisation* component, which is responsible for managing the current context of the interaction as well as the social groups that are present in that context, if any, and their members. These elements constitute a social layer on top of the physical reality that is being perceived by the robot's sensors. Based on the Self-Categorisation Theory [22, 47], when the robot detects a presence of an out-group then its own group identity will become more salient.

The emotional appraisal is the second component of the model. This component is responsible for generating emotions in response to the events that occur within the current social context. An event can correspond to a performance of an action or to a change in a property of the environment. For each event perceived, the emotional component performs a series of value judgements about that event in relation to the robot. Then, a set of emotions are synthesised in accordance to those judgements. In emotional psychology, these judgements are referred to as appraisal variables with different theories of emotion proposing different sets of variables [36]. For instance, according to the OCC theory [39], when someone judges an event to be desirable for him or her, that person is likely

to experience joy afterwards in proportion to the level of desirability attributed. The same theory also proposes that when someone performs an action that is considered blameworthy than that person is inclined to feel shame. However, if the blameworthy action is performed by another person, then a reproach emotion is felt instead by the observer.

While many researchers have already been able to integrate an emotional appraisal component in a social robotic architecture, the innovative aspect of our model lies in the notion that our appraisal component is capable of considering a social group as the actor of an event even if, in reality, all actions are being performed by individuals. This is the result of introducing the *Self-Categorisation* component before the appraisal takes place in order to determine whether the robot sees itself and others acting based on their individual or their group identity. In the latter case, actions performed by individuals that are sharing the same group identity in the current context are appraised as if they are actions performed by the robot itself. Consequently, in a context where the robot is performing a team-based activity and one of its partners performs a blameworthy action, the appraisal component will generate in the robot a group-based emotion of shame, rather than a reproach emotion towards its partner.

Finally, the last component of the model is the *Emotional Response* component, which is responsible for managing how the robot expresses the emotions that result from the appraisal process. This process must take into account the different possibilities that are afforded by the robot's embodiment. Assuming the robot has the ability to change its facial expression and body posture then these are matched to the current emotional state of the robot. In addition to non-verbal signals, the dialogue acts chosen by the robot are also influenced by its emotions. This is particularly important when trying to convey social emotions such as admiration or pride that can be hard to distinguish from more basic emotions as the ones proposed by Ekman [13], using only non-verbal modalities.

Algorithm 1 Group-based emotions generation process

```

while true do
  self ← Robot.Name
  e ← Sensors.PerceiveNewEvent()
  SG ← ContextManager.GetSalientSocialGroups()
  if SG ≠ ∅ then
    g ← IdentityManager.SelfCategorisation(SG, self)
    if e.ResponsibleAgent ∈ g then
      e.ResponsibleAgent ← g.Name
      self ← g.Name
    end if
  end if
  AV ← Appraisal.DetermineVariables(e)
  E ← Appraisal.GenerateEmotions(AV, self)
  se ← StrongestEmotion(E)
  for all c ∈ Actuators.GetEmotionChannels() do
    Express(se, c)
  end for
end while

```

Algorithm 1 provides a more detailed view of how these three components work together in a continuous cycle to create group-based emotions. As shown, the cycle starts by defining the parameter *self* as equal to the robot's name, which should be a unique identifier of the robot. The next step is to check for the perception of a new event *e* by the robot's sensors. Then, the set of salient social groups *SG* is determined, taking into account the last event perceived. This set will be empty in the case where the current context or activity has no salient groups. If *SG* is not an empty set then the group *g* is selected as the one that the robot identifies the most with. Afterwards, the algorithm checks if the robot/person who caused the event to occur (*e.ResponsibleAgent*) is a member of the same group *g*. When that is the case, the event's responsible agent is replaced by the name of group *g* as well as the parameter *self*. At this point, the *Self-Categorisation* component of the model ends and the *Appraisal* component begins. Based on the event perceived *e*, the set of appraisal variables *AV* is now calculated. Subsequently, those variables are used to generate a set of emotions *E*, from which the strongest emotion *se* is extracted. The strongest emotion is considered to be the one with the highest intensity value. Finally, the emotion *se* is expressed by all the available channels the robot has to express an emotion.

Note that the algorithm presented here is aimed to be general enough so that it can be applied in different domains with different robots and using different models of appraisal and self-categorisation. As such, the use case that is described in the following section is to be viewed as just one possible way in which the proposed model can be fully implemented.

5 CARD GAME SCENARIO

In order to explore how group-based emotions influence human-robot teams, we used the described model to create social robots that are able to autonomously behave according to different levels of self-categorisation. We decided to choose a task with two adversarial teams to make the in-group and out-group distinction more prominent. The task chosen was *Sueca*, a card game played by exactly four players divided in two opposing teams. Both cooperation with the partner and competition with the opponents have a strong effect on the game result since its goal is to beat the score of the other team. The players should play according to their understanding of their partners' game state. Another motivation for choosing a card game as our task comes from the fact that several studies [21, 35, 38, 43] have demonstrated that card games are a successful activity for creating engagement in a human-robot interaction that is designed to be primarily social.

Sueca is a trick-taking game containing the element of chance, and is played with a standard deck. The players start with ten cards in their hands, and have to decide which one to play during each trick. The suit of the first card played in a trick is considered to be the leadsuit of that trick and all players must follow it. If a player does not have any card from the leadsuit, then he or she is allowed to use a card with the trump suit, which is more valuable than the other suits. This is considered as "cutting the trick". The team that wins the trick consequently collects the sum of all its points. This occurs when any of its players played the highest trump card or

the highest from the leadsuit when there is no trump card on the table.

With the aim of exploring mixed human-robot teams, our *Sueca* scenario consists of two social robotic players that are both paired with a human partner. These robotic players are fully autonomous and their behaviours were developed on top of the SERA ecosystem [41]. Players interact with the robots over a touch table using physical cards. The game application is then responsible for recognising the cards and forward all game events to the artificial players. Each of these artificial players is composed by an emotional agent [12] and an AI [10] that are responsible for the emotional behavioural responses and the game computations, respectively. Then, a behavioural planner schedules the non-verbal behaviours to the animation engine and the verbal behaviours to the Text-To-Speech (TTS).

Although the two robots have the same embodiment and the same interaction affordances, one of them generates group-based emotions and the other generates individual-based emotions. This is accomplished in the following manner. Following Algorithm 1, each robot starts by identifying itself with its name, among the four possible players ($\{P1, \dots, P4\}$). The robot then perceives game events associated to the plays made by players and corresponding changes in the game state such as "*Event(P3, IncreasePoints(Trick, 11))*". In the context of *Sueca* there are two salient social groups, which correspond to the two teams playing ($SG = \{T1, T2\}$).

The following step of *SelfCategorisation* differentiates our two robots. Although this process in humans can be highly complex, our implementation for this particular scenario follows a rather simple logic. Namely, for the robot that expresses group-based emotions this step returns the team to which the robot belongs. For the example above, assuming that the robot is *P1* and also that $P1 \in T1$, *T1* will be assigned to *g*. Then, verifying the responsible agent (*P3*) belongs to that same social group, *T1* will be assigned to both *e.ResponsibleAgent* and *self*. In other words, the robot attributes the responsibility of the perceived event to its social group, instead of its partner, and appraises the event on behalf of the group.

On the contrary, the robot that expresses individual-based emotions was implemented without the self-categorisation step, which will lead it not to identify itself as a member of a social group, regardless of the groups contained in *SG*. In other words, the robot without self-categorisation attributes the responsibility of the perceived event always to an individual, instead of a social group, and consequently appraises events as an individual.

The appraisal and emotional generation steps of the proposed model were implemented with FATiMA [12], an existing emotional architecture that is based on the OCC theory [39]. In our scenario, two appraisal variables of the OCC theory were used, namely, *Desirability* and *Praiseworthiness*. Using the rule-based mechanism present in FATiMA, the value of these two variables are determined in the following manner. All the plays made by an opponent that increase/decrease the points of the trick for the robot's team are considered to be desirable/undesirable by an amount that is linearly proportional to the number of points increased/decreased. In the case of the plays made by the robot or its partner, if they increase/decrease the points of the trick they are seen as praiseworthy/blameworthy, also in a linearly proportional manner.

Table 1: Examples of speech acts performed by each robot according to the game state and the strongest appraised emotion.

	Robot that expresses individual-based emotions				Robot that expresses group-based emotions			
	Admiration	Reproach	Pride	Shame	Admiration	Reproach	Pride	Shame
Partner increased trick score	I am impressed with your move!	—	—	—	—	—	We are the best!	—
Partner decreased trick score	—	With that move, I cannot win.	—	—	—	—	—	We were not so good this time...
Robot increased trick score	—	—	I played incredibly well!	—	—	—	I am impressed with our performance!	—
Robot decreased trick score	—	—	—	I am so ashamed of my move...	—	—	—	Sorry partner, for this unfortunate move.

Once the appraisal variables are determined, the step of generating emotions occurs. Based on the OCC model, a positive/negative value of desirability generates an emotion of joy/distress. As for praiseworthiness, if it is positive, an emotion of pride or admiration is generated based on the event's responsible agent. Pride in the case where it matches the robot's *self* parameter and admiration otherwise. Inversely, if praiseworthiness is negative then an emotion of shame or reproach is generated instead. Shame in the case where it matches the robot's *self* parameter and reproach otherwise. Finally, the emotional response of our robots is based on the current strongest emotion. The responses may be utterances of verbal and non-verbal behaviour or physical postures.

5.1 Emotional Response

The behaviours and emotional responses of each robot may differ according to the properties of its embodiment. In our scenario, the EMYS robot [27] was used and its behaviours include utterances (i.e., dialogue acts, gazes, and animations) and physical postures.

5.1.1 Utterances. In total, two sets of utterances were created to convey the emotional state of the robots. One set was used by the robot with individual-based emotions and the other was employed by the robot with group-based emotions. In order for their dialogue acts to convey the nature of the emotion generated by the model, they may contain inclusive pronouns (e.g., “we”, “us”, “our”) to express group-based emotions, or individual pronouns (e.g., “I”, “me”, “you”) to suggest individual-based emotions. This distinction becomes more relevant to unambiguously distinguish emotions such as “Individual Pride” and “Group Pride”. A similar language adaptation was employed by Brave et al. [4] to differentiate between self- vs. other oriented emotions.

The full list of utterances is available in [9] and contains about 100 utterances for each robot. Each robot has an extensive repertoire of sentences in order for the robots not to repeat themselves during the interaction, which lasts approximately 30 minutes with both robots interacting fully autonomously. Moreover, we tried to differentiate the wording of the sentences for both robots (while maintaining the same meaning), instead of solely changing the pronouns. Otherwise, it would seem that the robots were repeating

each other and this could significantly break their believability as two independent social actors.

The selection of utterances takes into account the current game state and their strongest emotion. To be more precise, there are four particular game states where the robots have different emotions and, therefore, result in different behaviours, as evidenced by Table 1.

Note that in the case where an opponent is playing, the robotic characters will only interact verbally in emotionally neutral situations (e.g. greeting, ask to shuffle). In emotionally charged situations, such as when an opponent cuts the trick, the robots will only express an emotion of joy or distress through non-verbal animations. Therefore, independently of the self-categorisation level of the robots, they react similarly towards the out-group.

We have validated all the utterances by asking three coders to classify the associated strongest emotion, among the possible 6 of joy, distress, pride, admiration, shame, or reproach. The average pairwise Cohen's kappa value was $k=0.82$, revealing good agreement between the coders and that the chosen sentences accurately reflect their intended emotions.

5.1.2 Postures. Another non-verbal behaviour of the robotic characters was the embodiment posture. While utterances and simple animations convey a reaction upon a particular game event, a posture is used to convey for a longer period of time the emotional state of the robots. During the turn of other players, the robots choose the strongest emotion to adapt their postures, see Figure 2.

6 USER STUDY

Using the Sueca scenario described in the previous section, we conducted a user study where two participants form a team with a robot to play the card game. We used the same embodiment – EMYS robot – although the robots expressed different types of emotions: group-based or individual-based emotions. Based on the previously discussed findings from intergroup interactions in human-human [1, 28] as well as in human-robot [11, 21, 30, 48] scenarios, we expect to check the following hypothesis:

Hypothesis 1: Participants will have a stronger Group Identification with a robotic partner that expresses group-based emotions.




Figure 2: Postures embodied on the EMYS robot for each emotion.

Hypothesis 2: Participants will have a more positive perception of a robotic partner that expresses group-based emotions.

Hypothesis 3: Participants will have a higher degree of Group Trust with a robotic partner that has group-based emotions.

6.1 Procedure

Each session of the experiment had two participants and took approximately 45 minutes. Participants read a consent form and were briefly introduced to the game activity. The game rules were described and two researchers played a sample game with the participants over a regular wooden table. Then, participants were randomly assigned to one robotic partner – which could express either group-based or individual-based emotions–, and moved to the touch table, where they played three consecutive games with the robots, see Figure 3. In the beginning one researcher explained how the game works over the touch table and the initial setup of assigning the robots’ cards. At the same time, another researcher would set two cameras for video recording if participants had authorised. A researcher stayed in the experiment room until the end of the first trick. After this, both researchers left the room and let participants play the three games. Finally, they were given a questionnaire and the experiment ended with a cinema ticket being randomly awarded to one of the participants.

6.2 Measures

Independently of the robotic partner, all participants answered a final questionnaire that contained the following measures:

- **Group Identification** [31] with the Portuguese adaptation [40] to assess the in-Group Identification with their robotic partner;




Figure 3: Experimental setting for the user study.

- **Godspeed Questionnaire** [3], using the dimensions of Anthropomorphism, Animacy, Likeability, and Perceived Intelligence regarding their robotic partner;
- **Group Trust** [1] to assess the perceived trust by the participants regarding their team in the game;
- **Demographic questions**, i.e. gender, age, previous interaction with the EMYS robot, proficiency level in the *Sueca* card game.

Both Group Identification and Group Trust measures used 7-points Likert Scales, ranging from Strongly Disagree to Strongly Agree. The Godspeed Questionnaire was assessed in 5-points semantic differential scale.

6.3 Sample

We recruited a total of 48 university students (33 males and 15 females) with ages ranging from 19 to 33 years old ($M = 25.02 \pm 2.98$). 25% of the participants had already interacted with the EMYS robot and 77.1% reported at least a medium proficiency level of playing the *Sueca* card game.

6.4 Results

In the 24 collected sessions, the team of the robot with group-based emotions won 10 times, lost 11 times, and tied 3 times. Table 2 shows the number of utterances performed by each robot for each emotion and evidences a balanced average of total utterances per session. As expected, in both conditions there were more utterances for positive emotions in general than for negative ones. This can be attributed to the fact that players naturally avoided making bad plays as they were trying to win. Given that some of the following measures did not show normal distributions (as indicated by the Shapiro-Wilk test), we used the non-parametric Mann-Whitney U-test to compare the independent samples.

Table 2: Average number of utterances per emotion for the Robot with Group-based Emotions (RGbE) and the Robot with Individual-based Emotions (RIbE).

	Neutral	Admiration	Reproach	Pride	Shame	Joy	Distress	TOTAL
RGbE	6	0	0	15	4	4	5	34
RIbE	6	7	2	6	2	4	8	35

6.4.1 Group Identification. A reliability analysis was carried out on the satisfaction and solidarity dimensions comprising 4 and 3 items, respectively. Cronbach's alpha of 0.83 for the satisfaction dimension, and 0.81 for the solidarity dimension indicate a high level of internal consistency for the scale of Group Identification with this specific sample.

We compared the level of Group Identification perceived by the participants towards each robot. Participants had significantly higher levels ($U = 175.5, p = 0.02, r = 0.335$) of Group Identification towards the robotic partner with group-based emotions ($M = 5.94 \pm 0.17$) than towards the robotic partner with individual-based emotions ($M = 5.22 \pm 0.22$), see Figure 4.

Additionally, a Spearman's rank-order correlation was run to determine if there was a relationship between the number of points of the team and the Group Identification metric. The rationale was to check if having more points as a consequence of winning the game would also have a positive effect on this dimension. The correlation was non-significant ($r_s = 0.153, p = 0.30$), which suggests that these two factors are independent.




Figure 4: Group Identification and Group Trust averages attributed to each team with a robot that expresses either group-based or individual-based emotions. (* $p < 0.05$)

6.4.2 Perception of the robots. To check whether the expression of individual or group-based emotions was influencing the perception of the robots, we compared the levels of Anthropomorphism, Animacy, Likeability and Perceived Intelligence attributed to each robot. Results showed no significant differences in the Anthropomorphism ($U = 276, p = 0.80$), Animacy ($U = 275, p = 0.79$), and Perceived Intelligence ($U = 200, p = 0.07$) levels attributed to robotic partner with group-based emotions ($M_{ant} = 2.97 \pm 0.14; M_{ani} = 3.57 \pm 0.13; M_{pi} = 3.91 \pm 0.14$) and the robotic partner with individual-based emotions ($M_{ant} = 2.95 \pm 0.17; M_{ani} = 3.50 \pm 0.14; M_{pi} = 3.47 \pm 0.17$), see Figure 5. However, participants attributed significantly higher scores of Likeability ($U = 142.0, p = 0.002, r = 0.437$) to the robotic partner with group-based emotions ($M = 4.33 \pm 0.11$) than the robotic partner with individual-based emotions ($M = 3.49 \pm 0.21$), see Figure 5.

Additionally, a Spearman's rank-order correlation was run to determine the relationship between Group Identification and the four measured dimensions of the Godspeed Questionnaire. There




Figure 5: Averages of Godspeed's dimensions attributed to each robot. (* $p < 0.05$)

was a strong, positive, and statistically significant correlations between Group Identification and Anthropomorphism ($r_s = 0.529, p < 0.01$), Animacy ($r_s = 0.318, p = 0.03$), Likeability ($r_s = 0.606, p < 0.01$), and Perceived Intelligence ($r_s = 0.595, p < 0.01$).

6.4.3 Group Trust. A reliability analysis was carried out on the Group Trust scale comprising 7 items, respectively. Cronbach's alpha of 0.74 indicates a high level of internal consistency for this scale with this specific sample.

To check whether the portrayal of individual or group-based emotions was influencing the group trust, we compared the Group Trust levels of each human-robot team. Results showed a statistically significant difference of Group Trust ($U = 148, p < 0.01, r = 0.417$). Partners of the robot with group-based emotions reported significantly higher levels of Group Trust ($M = 5.45 \pm 0.16$) than participants partnering the robot with individual-based emotions ($M = 4.62 \pm 0.20$), see Figure 4.

Additionally, a Spearman's rank-order correlation was run to determine the relationship between Group Trust and the number of points of the team. Again, there was no significant correlation between the Group Trust and the number of points ($r_s = 0.158, p = 0.28$).

7 DISCUSSION

Overall, the following conclusions can be drawn from the obtained results. **Hypothesis 1** predicted a stronger Group Identification with a robotic partner that expresses group-based emotions. Indeed, the expression of group-based emotions lead to higher levels of Group Identification. This result seem to be coherent with previous findings from the social psychology, where group-based emotions are an antecedent of Group Identification [28].

Our results also partially support **Hypothesis 2**, which predicted a more positive perception of a robotic partner that expresses group-based emotions. Although participants perceived both robots similarly in terms of Anthropomorphism, Animacy, and Perceived Intelligence, they rated the robotic partner that expresses group-based emotions with significantly higher levels of Likeability. Our expectation was in-line with previous findings [21, 30], where the perceived group identity of a robot had a significant impact on how the robot is perceived. However, their manipulation of group identity referred to the extremes of belonging to the in-group or the out-group, stressing a stronger difference of Group Identification

when compared to our setting. Therefore, even with a statistically significant difference of the Group Identification (H1), it was not prominent enough to elicit differences on the Anthropomorphism, Animacy, and Perceived Intelligence. Nevertheless, tendencies can be inferred in both Figure 5 and in the positive and significant correlations between the level of Group Identification and the measured dimensions of the Godspeed Questionnaire.

According to **Hypothesis 3**, we expected a higher degree of Group Trust with a robotic partner that has group-based emotions. This was confirmed as participants that were in the team of the robot that expresses group-based emotions attributed a higher level of trust towards the team. We believe this result is relevant for the emerging field of Human-Robot Teams, as trust constitutes one of the most important constructs to support effective interaction and cooperation [20]. Furthermore, trust and social identity have been postulated as antecedents of positive team performance [1].

8 CONCLUSION

In this paper we argued that as human-robot groups become more prevalent it is important to explore new ways of improving their interactions and creating effective collaborations. Therefore, this work provides a first investigation of group-based emotions in social robotic partners and tries to understand their impact on human-robot teams. The contributions are two fold. First, a model for generating group-based emotions on social robots is proposed. This model enabled the development of two distinct robotic characters that express either individual or group-based emotions. Second, this paper also contributes with a user study, where two fully autonomous robots formed two human-robot teams to play a competitive card game. We compared participants' perceptions, Group Identification, and Group Trust towards their robotic partners. The results show that the expression of group-based emotions by a social robotic partner led participants to rate it as more likeable, to trust it more as a team member and also to identify a stronger social group. Overall, group-based emotions were able to emphasise important aspects of the human-robot collaboration, as trust and group identification, revealing a promising role on the design of social robotic team partners.

One limitation of our study is related with the *Sueca* scenario, as the generation of emotions is strongly related to the game itself. On the one hand, it is a very natural scenario for the interaction of autonomous robots with two people. On the other hand, it may result in an unbalanced number of positive emotions when compared to negative emotions in each game. As future work, it is important to explore scenarios where more negative events also occur. Additionally, the study reported here only analysed mixed human-robot teams of two. In the future, it would be important to analyse the effects of group-based emotions in larger teams as well. Finally, the fact that the robots used different wordings in their utterances could have generated a potential confound. For this reason, it would be interesting to analyse the effect of group-based emotions in a scenario with no use of verbal dialogue.

Our final argument is that social emotions such as shame or pride, which go beyond more basic emotions [13], should be given more attention in the creation of social robots, particularly in human-robot teams. The work presented here takes a step in this direction

as it employs a more rich emotional model enabling social robots to autonomously produce more diverse emotional behaviour.

ACKNOWLEDGMENTS

This work was supported by national funds through Fundação para a Ciência e a Tecnologia (FCT-UID/CEC/500 21/2013), through the project AMIGOS (PTDC/EEISII/7174/2014), and through the project RAGE (Ref. H2020-ICT-2014-1/644187). Filipa Correia acknowledges an FCT grant (Ref. SFRH/BD/118031/2016).

REFERENCES

- [1] Kathleen Allen and Richard Bergin. [n. d.]. Exploring trust, group satisfaction, and performance in geographically dispersed and co-located university technology commercialization teams. In *In Proceedings of the NCIA 8th Annual Meeting: Education that Works*. 18–20.
- [2] Christoph Bartneck. 2003. Interacting with an embodied emotional character. In *Proceedings of the 2003 international conference on Designing pleasurable products and interfaces*. ACM, 55–60.
- [3] Christoph Bartneck, Dana Kulić, Elizabeth Croft, and Susana Zoghbi. 2009. Measurement instruments for the anthropomorphism, animacy, likeability, perceived intelligence, and perceived safety of robots. *International journal of social robotics* 1, 1 (2009), 71–81.
- [4] Scott Brave, Clifford Nass, and Kevin Hutchinson. 2005. Computers that care: investigating the effects of orientation of emotion exhibited by an embodied computer agent. *International journal of human-computer studies* 62, 2 (2005), 161–178.
- [5] Cynthia Breazeal. 2003. Emotion and sociable humanoid robots. *International Journal of Human-Computer Studies* 59, 1 (2003), 119–155.
- [6] Andrew G. Brooks, Jesse Gray, Guy Hoffman, Andrea Lockerd, Hans Lee, and Cynthia Breazeal. 2004. Robot's Play: Interactive Games with Sociable Machines. *Comput. Entertain.* 2, 3 (July 2004), 10–10. <https://doi.org/10.1145/1027154.1027171>
- [7] John-John Cabibihan, Hifza Javed, Marcelo Ang, and Sharifah Mariam Aljunied. 2013. Why robots? A survey on the roles and benefits of social robots in the therapy of children with autism. *International journal of social robotics* 5, 4 (2013), 593–618.
- [8] Andrea Cherubini, Robin Passama, André Crosnier, Antoine Lasnier, and Philippe Fraisse. 2016. Collaborative manufacturing with physical human-robot interaction. *Robotics and Computer-Integrated Manufacturing* 40 (2016), 1–13.
- [9] Correia. 2018. Group Based Emotions in Teams of Humans and Robots - Supplemental Material. (Jan 2018). <https://doi.org/10.17605/OSF.IO/4ETV9>
- [10] Filipa Correia, Patricia Alves-Oliveira, Tiago Ribeiro, Francisco S Melo, and Ana Paiva. 2017. A social robot as a card game player. In *AIIDE*.
- [11] Munjal Desai, Mikhail Medvedev, Marynel Vázquez, Sean McSheehy, Sofia Gadea-Omelchenko, Christian Bruggeman, Aaron Steinfeld, and Holly Yanco. 2012. Effects of changing reliability on trust of robot systems. In *Human-Robot Interaction (HRI), 2012 7th ACM/IEEE International Conference on*. IEEE, 73–80.
- [12] João Dias, Samuel Mascarenhas, and Ana Paiva. 2014. Fatima modular: Towards an agent architecture with a generic appraisal framework. In *Emotion Modeling*. Springer, 44–56.
- [13] Paul Ekman, Wallace V Friesen, Maureen O'sullivan, Anthony Chan, Irene Diacoyanni-Tarlatzis, Karl Heider, Rainer Krause, William Ayhan LeCompte, Tom Pitcairn, Pio E Ricci-Bitti, et al. 1987. Universals and cultural differences in the judgments of facial expressions of emotion. *Journal of personality and social psychology* 53, 4 (1987), 712.
- [14] Terrence Fong, Illah Nourbakhsh, and Kerstin Dautenhahn. 2003. A survey of socially interactive robots. *Robotics and autonomous systems* 42, 3 (2003), 143–166.
- [15] Marlena R Fraune, Yusaku Nishiwaki, Selma Šabanović, Eliot R Smith, and Michio Okada. 2017. Threatening Flocks and Mindful Snowflakes: How Group Entitativity Affects Perceptions of Robots. In *Proceedings of the 2017 ACM/IEEE International Conference on Human-Robot Interaction*. ACM, 205–213.
- [16] Marlena R Fraune, Steven Sherrin, Selma Šabanović, Eliot R Smith, Selma Šabanović, and Eliot R Smith. 2015. Rabble of Robots Effects: Number and Type of Robots Modulates Attitudes, Emotions, and Stereotypes. *Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction* January 2016 (2015), 109–116. <https://doi.org/10.1145/2696454.2696483>
- [17] Amit Goldenberg, Eran Halperin, Martijn van Zomeren, and James J Gross. 2016. The process model of group-based emotion: Integrating intergroup emotion and emotion regulation perspectives. *Personality and Social Psychology Review* 20, 2 (2016), 118–141.
- [18] V Groom and C Nass. 2007. Can robots be teammates?: Benchmarks in human-robot teams. *Interaction Studies* 8, 3 (2007), 483–500. <https://doi.org/10.1075/gest.8.3.02str>

- [19] James J. Gross and Ross A. Thompson. 2007. Emotion Regulation: Conceptual Foundations. In *Handbook of Emotion Regulation*, James J. Gross (Ed.). Guilford Press, 3–24.
- [20] Peter A Hancock, Deborah R Billings, Kristin E Schaefer, Jessie YC Chen, Ewart J De Visser, and Raja Parasuraman. 2011. A meta-analysis of factors affecting trust in human-robot interaction. *Human Factors* 53, 5 (2011), 517–527.
- [21] Markus Häring, Dieta Kuchenbrandt, and Elisabeth André. 2014. Would you like to play with me?: how robots' group membership and task features influence human-robot interaction. In *Proceedings of the 2014 ACM/IEEE international conference on Human-robot interaction*. ACM, 9–16.
- [22] Matthew J Hornsey. 2008. Social identity theory and self-categorization theory: A historical review. *Social and Personality Psychology Compass* 2, 1 (2008), 204–222.
- [23] Ing-Marie Jonsson, Clifford Nass, Jack Endo, Ben Reaves, Helen Harris, Janice Le Ta, Nicholas Chan, and Sean Knapp. 2004. Don't blame me I am only the driver: impact of blame attribution on attitudes and attention to driving task. In *CHI'04 Extended Abstracts on Human Factors in Computing Systems*. ACM, 1219–1222.
- [24] Malte F Jung, Jin Joo Lee, Nick DePalma, Sigurdur O Adalgeirsson, Pamela J Hinds, and Cynthia Breazeal. 2013. Engaging robots: easing complex human-robot teamwork using backchanneling. In *Proceedings of the 2013 conference on Computer supported cooperative work*. ACM, 1555–1566.
- [25] Malte F Jung, Nikolas Martelaro, and Pamela J Hinds. 2015. Using robots to moderate team conflict: the case of repairing violations. In *Proceedings of the Tenth Annual ACM/IEEE International Conference on Human-Robot Interaction*. ACM, 229–236.
- [26] Poornima Kaniarasu and Aaron M Steinfeld. 2014. Effects of blame on trust in human robot interaction. In *Robot and Human Interactive Communication, 2014 RO-MAN: The 23rd IEEE International Symposium on*. IEEE, 850–855.
- [27] Jan Kędzierski, Robert Muszyński, Carsten Zoll, Adam Oleksy, and Mirela Fronkiewicz. 2013. EMYSÄTomotive head of a social robot. *International Journal of Social Robotics* 5, 2 (2013), 237–249.
- [28] Thomas Kessler and Susan Hollbach. 2005. Group-based emotions as determinants of ingroup identification. *Journal of Experimental Social Psychology* 41, 6 (2005), 677–685.
- [29] Miriam Koschate, Richard Potter, Paul Bremner, and Mark Levine. 2016. Overcoming the uncanny valley: Displays of emotions reduce the uncanniness of humanlike robots. *ACM/IEEE International Conference on Human-Robot Interaction* 2016–April (2016), 359–365. <https://doi.org/10.1109/HRI.2016.7451773>
- [30] Dieta Kuchenbrandt, Friederike Eysel, Simon Bobinger, and Maria Neufeld. 2013. When a Robot's Group Membership Matters: Anthropomorphization of Robots as a Function of Social Categorization. *International Journal of Social Robotics* (2013). <https://doi.org/10.1007/s12369-013-0197-8>
- [31] Colin Wayne Leach, Martijn Van Zomeren, Sven Zeibel, Michael LW Vliek, Sjoerd F Pennekamp, Bertjan Doosje, Jaap W Ouwerkerk, and Russell Spears. 2008. Group-level self-definition and self-investment: a hierarchical (multicomponent) model of in-group identification. *Journal of personality and social psychology* 95, 1 (2008), 144.
- [32] Iolanda Leite, Marissa McCoy, Monika Lohani, Nicole Salomons, Kara McElvaine, Charlene Stokes, Susan Rivers, and Brian Scassellati. 2016. Autonomous disengagement classification and repair in multiparty child-robot interaction. In *Robot and Human Interactive Communication (RO-MAN), 2016 25th IEEE International Symposium on*. IEEE, 525–532.
- [33] Iolanda Leite, André Pereira, Samuel Mascarenhas, Carlos Martinho, Rui Prada, and Ana Paiva. 2013. The influence of empathy in human-robot relations. *International journal of human-computer studies* 71, 3 (2013), 250–260.
- [34] Jamy Li. 2015. The benefit of being physically present: A survey of experimental works comparing copresent robots, telepresent robots and virtual agents. *International Journal of Human Computer Studies* 77 (2015), 23–27. <https://doi.org/10.1016/j.ijhcs.2015.01.001> arXiv:arXiv:1011.1669v3
- [35] Derek McColl, Wing Yue Geoffrey Louie, and Goldie Nejat. 2013. Brian 2.1: A Socially assistive robot for the elderly and cognitively impaired. *IEEE Robotics and Automation Magazine* 20, 1 (2013), 74–83. <https://doi.org/10.1109/MRA.2012.2229939>
- [36] Agnes Moors, Phoebe C Ellsworth, Klaus R Scherer, and Nico H Frijda. 2013. Appraisal theories of emotion: State of the art and future development. *Emotion Review* 5, 2 (2013), 119–124.
- [37] Wendy Moyle, Marie Cooke, Elizabeth Beattie, Cindy Jones, Barbara Klein, Glenda Cook, Chrystal Gray, et al. 2013. Exploring the effect of companion robots on emotional expression in older adults with dementia: A pilot randomized controlled trial. *Journal of gerontological nursing* (2013).
- [38] Victor Ng-Thow-Hing, Jongwoo Lim, Joel Wormer, Ravi Kiran Sarvadevabhatla, Carlos Rocha, Kikuo Fujimura, and Yoshiaki Sakagami. 2008. The memory game: Creating a human-robot interactive scenario for asimo. In *Intelligent Robots and Systems, 2008. IROS 2008. IEEE/RSJ International Conference on*. IEEE, 779–786.
- [39] Andrew Ortony, Gerald L Clore, and Allan Collins. 1990. *The cognitive structure of emotions*. Cambridge university press.
- [40] Miguel Ribeiro Ramos and Helder Alves. 2011. Adaptação de uma escala multidimensional de identificação para português. *Psicologia* 25, 2 (2011), 23–38.
- [41] Tiago Ribeiro, André Pereira, Eugenio Di Tullio, and Ana Paiva. 2016. The sera ecosystem: Socially expressive robotics architecture for autonomous human-robot interaction. In *AAAI Spring Symposium Series*.
- [42] Martin Saerbeck, Tom Schut, Christoph Bartneck, and Maddy D Janse. 2010. Expressive robots in education: varying the degree of social supportive behavior of a robotic tutor. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 1613–1622.
- [43] Suleman Shahid, Emiel Krahmer, and Marc Swerts. 2014. Child-robot interaction across cultures: How does playing a game with a social robot compare to playing a game alone or with a friend? *Computers in Human Behavior* 40 (2014), 86–100. <https://doi.org/10.1016/j.chb.2014.07.043>
- [44] Eliot R Smith. 1993. Social identity and social emotions: Toward new conceptualizations of prejudice. (1993).
- [45] Samuel Spaulding, Goren Gordon, and Cynthia Breazeal. 2016. Affect-Aware Student Models for Robot Tutors. In *Proceedings of the 2016 International Conference on Autonomous Agents & Multiagent Systems (AAMAS '16)*. International Foundation for Autonomous Agents and Multiagent Systems, Richland, SC, 864–872. <http://dl.acm.org/citation.cfm?id=2936924.2937050>
- [46] Sarah Strohkorb, Iolanda Leite, Natalie Warren, and Brian Scassellati. 2015. Classification of Children's Social Dominance in Group Interactions with Robots. In *Proceedings of the 2015 ACM on International Conference on Multimodal Interaction*. ACM, 227–234.
- [47] John C Turner, Michael A Hogg, Penelope J Oakes, Stephen D Reicher, and Margaret S Wetherell. 1987. *Rediscovering the social group: A self-categorization theory*. Basil Blackwell.
- [48] Ning Wang, David V Pynadath, and Susan G Hill. 2016. Trust calibration within a human-robot team: Comparing automatically generated explanations. In *The Eleventh ACM/IEEE International Conference on Human Robot Interaction*. IEEE Press, 109–116.